

## ONLINE SEARCH REQUEST FORM





USER Gary L. KutzSERIAL NUMBER 071652, 978

US PAT. &amp; TM OFF

ART UNIT 1803PHONE X 4623DATE 11/10/92

Please give a detailed statement of requirements. Describe as specifically as possible the subject matter to be searched. Define any terms that may have special meaning. Give examples or relevant citations, authors, or keywords, if known.

You may include a copy of the broadest and or relevant claim(s).

Pls. SEARCHB = CYTIDINE OR THYMINEB = GUANINE, ADENINE, CYTOSINE,  
OR AZIRIDINYL CYTOSINEB = GUANINE, ADENINE, CYTOSINE  
THYMINE; OR AZIRIDINYL CYTOSINE~~B~~

65

116 ref.

## STAFF USE ONLY

COMPLETED 11-16-92  
SEARCHER ALX  
ONLINE TIME            TOTAL TIME             
(in minutes)  
NO. OF DATABASES           

## SYSTEMS

☒ CAS ONLINE  
☐ DARC/QUESTEL  
☐ DIALOG  
☐ SDC  
☐ OTHER

KUNZ 652978

=> fil reg

FILE 'REGISTRY' ENTERED AT 11:53:30 ON 16 NOV 92

USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT


COPYRIGHT (C) 1992 American Chemical Society (ACS)

STRUCTURE FILE UPDATES: 13 NOV 92 HIGHEST RN 144489-44-1

DICTIONARY FILE UPDATES: 15 NOV 92 HIGHEST RN 144489-44-1

=> d que stat l2

L1 STR



VAR G1=N/O

NODE ATTRIBUTES:

NSPEC IS R AT 7

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED

NUMBER OF NODES IS 9

L2 77 SEA FILE=REGISTRY SSS FUL L1

100.0% PROCESSED 6668 ITERATIONS

77 ANSWERS

SEARCH TIME: 00.00.28

=> d que stat l7

L3 STR

L4 ( 77)SEA FILE=REGISTRY SSS FUL L3

L5 STR

L6 ( 65)SEA FILE=REGISTRY SUB=L4 SSS FUL L5

L7 12 SEA FILE=REGISTRY L4 NOT L6

=> d his l8

(FILE 'REGISTRY' ENTERED AT 11:52:05 ON 16 NOV 92)

-----


L8 65 S L2 NOT L7

=> d l7 ide can 1-12

L7 ANSWER 1 OF 12 COPYRIGHT 1992 ACS

KUNZ 652978

RN 143992-85-2 REGISTRY  
CN 3-Oxa-6-azabicyclo[3.1.0]hexane-2-methanol, 6-acetyl-4-(6-amino-9H-purin-9-yl)-, [1R-(1.alpha.,2.beta.,4.beta.,5.alpha.)]- (9CI) (CA INDEX NAME)  
MF C12 H14 N6 O3  
SR CA  
DES 5:B-D-LYXO




0 REFERENCES IN FILE CA (1967 TO DATE)

L7 ANSWER 2 OF 12 COPYRIGHT 1992 ACS  
RN 129928-85-4 REGISTRY  
CN 2,4(1H,3H)-Pyrimidinedione, 1-[6-(2-hydroxyethyl)-4-(hydroxymethyl)-3-oxa-6-azabicyclo[3.1.0]hex-2-yl]-, [1R-(1.alpha.,2.alpha.,4.alpha.,5.alpha.)]- (9CI) (CA INDEX NAME)  
OTHER CA INDEX NAMES:  
CN 3-Oxa-6-azabicyclo[3.1.0]hexane, 2,4(1H,3H)-pyrimidinedione deriv. (9CI)  
MF C11 H15 N3 O5  
SR CA  
LC CA  
DES \*

Absolute stereochemistry.

KUNZ 652978



1 REFERENCES IN FILE CA (1967 TO DATE)

REFERENCE 1: CA113(21):191825g

L7 ANSWER 3 OF 12 COPYRIGHT 1992 ACS

RN 129928-77-4 REGISTRY

CN 2,4(1H,3H)-Pyrimidinedione, 1-[6-(3-aminopropyl)-4-(hydroxymethyl)-3-oxa-6-azabicyclo[3.1.0]hex-2-yl]-, [1R-(1.alpha.,2.alpha.,4.alpha.,5.alpha.)]- (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN 3-Oxa-6-azabicyclo[3.1.0]hexane, 2,4(1H,3H)-pyrimidinedione deriv. (9CI)


MF C12 H18 N4 O4

SR CA

LC CA

DES \*

Absolute stereochemistry.



1 REFERENCES IN FILE CA (1967 TO DATE)

REFERENCE 1: CA113(21):191825g

KUNZ 652978

L7 ANSWER 4 OF 12 COPYRIGHT 1992 ACS

RN 129928-74-1 REGISTRY

CN 2,4(1H,3H)-Pyrimidinedione, 1-[6-(2-aminoethyl)-4-(hydroxymethyl)-3-oxa-6-azabicyclo[3.1.0]hex-2-yl]-, [1R-(1.alpha.,2.alpha.,4.alpha.,5.alpha.)]- (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN 3-Oxa-6-azabicyclo[3.1.0]hexane, 2,4(1H,3H)-pyrimidinedione deriv. (9CI)


MF C11 H16 N4 O4

SR CA

LC CA

DES \*

Absolute stereochemistry.



1 REFERENCES IN FILE CA (1967 TO DATE)

REFERENCE 1: CA113(21):191825g

L7 ANSWER 5 OF 12 COPYRIGHT 1992 ACS

RN 125418-20-4 REGISTRY

CN 2,4(1H,3H)-Pyrimidinedione, 1-[4-(hydroxymethyl)-6-(phenylmethyl)-3-oxa-6-azabicyclo[3.1.0]hex-2-yl]-, [1R-(1.alpha.,2.alpha.,4.alpha.,5.alpha.)]- (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN 3-Oxa-6-azabicyclo[3.1.0]hexane, 2,4(1H,3H)-pyrimidinedione deriv. (9CI)

MF C16 H17 N3 O4


SR CA

LC CA, CASREACT

DES \*

Absolute stereochemistry.

KUNZ 652978



1 REFERENCES IN FILE CA (1967 TO DATE)

REFERENCE 1: CA112(11):99113e

L7 ANSWER 6 OF 12 COPYRIGHT 1992 ACS

RN 125418-19-1 REGISTRY

CN 2,4(1H,3H)-Pyrimidinedione, 1-[4-(hydroxymethyl)-6-methyl-3-oxa-6-azabicyclo[3.1.0]hex-2-yl]-, [1R-(1.alpha.,2.alpha.,4.alpha.,5.alpha.)]- (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN 3-Oxa-6-azabicyclo[3.1.0]hexane, 2,4(1H,3H)-pyrimidinedione deriv. (9CI)


MF C10 H13 N3 O4

SR CA

LC CA, CASREACT

DES \*

Absolute stereochemistry.




1 REFERENCES IN FILE CA (1967 TO DATE)

REFERENCE 1: CA112(11):99113e

KUNZ 652978

L7 ANSWER 7 OF 12 COPYRIGHT 1992 ACS  
RN 125418-18-0 REGISTRY  
CN 2,4(1H,3H)-Pyrimidinedione, 1-[4-(hydroxymethyl)-3-oxa-6-azabicyclo[3.1.0]hex-2-yl]-, [1R-(1.alpha.,2.alpha.,4.alpha.,5.alpha.)]- (9CI) (CA INDEX NAME)  
OTHER CA INDEX NAMES:  
CN 3-Oxa-6-azabicyclo[3.1.0]hexane, 2,4(1H,3H)-pyrimidinedione deriv. (9CI)  
MF C9 H11 N3 O4  
SR CA  
LC CA, CASREACT, CJACS  
DES \*

Absolute stereochemistry.



2 REFERENCES IN FILE CA (1967 TO DATE)


REFERENCE 1: CA115(23):256526y

REFERENCE 2: CA112(11):99113e

L7 ANSWER 8 OF 12 COPYRIGHT 1992 ACS  
RN 124166-01-4 REGISTRY  
CN 2(1H)-Pyrimidinone, 4-amino-1-[4-(hydroxymethyl)-3-oxa-6-azabicyclo[3.1.0]hex-2-yl]-, (1.alpha.,2.beta.,4.beta.,5.alpha.)- (9CI) (CA INDEX NAME)  
OTHER CA INDEX NAMES:  
CN 3-Oxa-6-azabicyclo[3.1.0]hexane, 2(1H)-pyrimidinone deriv. (9CI)  
MF C9 H12 N4 O3  
SR CA  
LC CA  
DES \*

Relative stereochemistry.

KUNZ 652978



1 REFERENCES IN FILE CA (1967 TO DATE)

REFERENCE 1: P CA112(1):656z

L7 ANSWER 9 OF 12 COPYRIGHT 1992 ACS

RN 124166-00-3 REGISTRY

CN 3-Oxa-6-azabicyclo[3.1.0]hexane-6-carboxaldehyde,  
2-(4-amino-2-oxo-1(2H)-pyrimidinyl)-4-(hydroxymethyl)-,  
(1.alpha.,2.beta.,4.beta.,5.alpha.)- (9CI) (CA INDEX NAME)


MF C10 H12 N4 O4

SR CA

LC CA

DES \*

Relative stereochemistry.



1 REFERENCES IN FILE CA (1967 TO DATE)

REFERENCE 1: P CA112(1):656z

L7 ANSWER 10 OF 12 COPYRIGHT 1992 ACS

RN 120401-54-9 REGISTRY



KUNZ 652978

CN 2,4(1H,3H)-Pyrimidinedione, 1-[4-(hydroxymethyl)-6-phenyl-3-oxa-6-azabicyclo[3.1.0]hex-2-yl]-, [1S-(1.alpha.,2.beta.,4.beta.,5.alpha.)]- (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN 3-Oxa-6-azabicyclo[3.1.0]hexane, 2,4(1H,3H)-pyrimidinedione deriv. (9CI)


MF C15 H15 N3 O4

SR CA

LC CA, CASREACT

DES \*

Absolute stereochemistry.



1 REFERENCES IN FILE CA (1967 TO DATE)

REFERENCE 1: CA110(23):213254n

L7 ANSWER 11 OF 12 COPYRIGHT 1992 ACS

RN 68950-31-2 REGISTRY

CN 9H-Purin-6-amine, 9-(2,3-dideoxy-2,3-imino-.beta.-D-lyxofuranosyl)- (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:


CN 3-Oxa-6-azabicyclo[3.1.0]hexane, 9H-purin-6-amine deriv. (9CI)

MF C10 H12 N6 O2

LC BEILSTEIN, CA

DES 5:B-D-LYXO

KUNZ 652978



1 REFERENCES IN FILE CA (1967 TO DATE)

REFERENCE 1: CA90(21):168884y

L7 ANSWER 12 OF 12 COPYRIGHT 1992 ACS

RN 68950-30-1 REGISTRY

CN Adenosine, 2',3'-dideoxy-2',3'-imino- (9CI) (CA INDEX NAME)


OTHER CA INDEX NAMES:

CN 3-Oxa-6-azabicyclo[3.1.0]hexane, adenosine deriv. (9CI)

MF C10 H12 N6 O2

LC BEILSTEIN, CA

DES 5:B-D-RIBO



1 REFERENCES IN FILE CA (1967 TO DATE)

REFERENCE 1: CA90(21):168884y

=> fil ca

FILE 'CA' ENTERED AT 11:54:50 ON 16 NOV 92

USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT

COPYRIGHT (C) 1992 AMERICAN CHEMICAL SOCIETY (ACS)

KUNZ 652978

FILE COVERS 1967 - 15 Nov 92 (921115/ED) VOL 117 ISS 20.  
For OFFLINE Prints or Displays, use the ABS or ALL formats to obtain  
abstract graphic structures. The AB format DOES NOT display structure  
diagrams.

=> d his 110-111

(FILE 'CA' ENTERED AT 11:52:48 ON 16 NOV 92)

L10 6 S L7 OR L7/D

L11 116 S L8 OR L8/D

FILE 'REGISTRY' ENTERED AT 11:53:30 ON 16 NOV 92

FILE 'CA' ENTERED AT 11:54:50 ON 16 NOV 92

=> d bib ab hit 110 1-6

L10 ANSWER 1 OF 6 COPYRIGHT 1992 ACS

AN CA115(23):256526y

TI Comparative structural studies of [3.1.0]-fused 2',3'-modified  
.beta.-D-nucleosides by x-ray crystallography, NMR spectroscopy, and  
molecular mechanics calculations

AU Koole, Leo H.; Neidle, Stephen; Crawford, Mark D.; Krayevski,  
Alexander A.; Gurskaya, Galyna V.; Sandstroem, Anders; Wu, Jin  
Chang; Tong, Weimin; Chattopadhyaya, Jyoti

CS Biomed. Cent., Univ. Uppsala

LO Uppsala S-75 123, Swed.

SO J. Org. Chem., 56(24), 6884-92

SC 33-9 (Carbohydrates)

SX 22, 75

DT J

CO JOCEAH

IS 0022-3263

PY 1991

LA Eng

OS CJACS

AB A structural study is reported on the [3.1.0]-fused nucleosides  
2',3'-dideoxy-2',3'-.alpha.-methylenauridine (I; X = CH<sub>2</sub>, B =  
uracil), 1-(2',3'-dideoxy-2',3'-epimino-.beta.-D-  
ribofuranosyl)uracil (I; X = NH B = uracil), 1-(2',3'-dideoxy-2',3'-  
epithio-.beta.-D-ribofuranosyl)uracil (I; X = S; B = uracil)  
2',3'-O-anhydroadenosine (I; X = O, B = adenine),  
1-(2',3'-dideoxy-2',3'-epithio-.beta.-D-lyxofuranosyl) uracil (II;  
X<sub>1</sub> = S, B = uracil), 1-(2',3'-O-anhydro-.beta.-D-  
lyxofuranosyl)adenine (II; X<sub>1</sub> = O, B = adenine), and  
1-(2',3'-O-anhydro-.beta.-D-lyxofuranosyl)thymine (II; X<sub>1</sub> = O, B =  
thymine). Note that compds. I have the three-membered fused ring in  
the exo orientation (.alpha.-face) and compds. II have the  
three-membered fused ring in the endo orientation (.beta.-face). The

X-ray crystal structures of I (X = CH<sub>2</sub>, B = uracil; X = O, B = adenine) show that both systems have an almost planar furanoid ring. Comparisons are made with the crystal structures of the native nucleosides (i.e., uridine and adenosine, resp.). This shows that the cyclopropane unit in I (X = CH<sub>2</sub>, B = uracil) and the epoxide ring in I (X = O, B = adenine) have virtually the same impact on the furanoid conformation, i.e., flattening of the furanoid ring is in both cases accompanied by shortening of the bonds C1'-C2' and C2'-C3' by ca. 0.03 Å., and expansion of the bond angles C1'-C2'-C3' and C2'-C3'-C4' by 5-6.degree.. Comparison of the crystal structures of [3.1.0]-fused nucleosides I (X = CH<sub>2</sub>, B = uracil; X = O; B = adenine) with three [3.3.0]-fused nucleosides from the literature with a flattened sugar ring showed that C2'-C3' [3.1.0]-fused nucleosides display subtle structural differences, despite the fact that rotation around C2'-C3' is blocked. Secondly, a 1H-NMR conformational study on I and II is reported. Thirdly, we have investigated whether mol. mechanics calcns. (using Allinger's MM2-87 method as provided in the CHEM3D package) can be used to study the conformational properties of systems I and II. In this respect, the structural data on I (X = CH<sub>2</sub>, B = uracil; X = O, B = adenine) and II (X = O; B = thymine) were used to evaluate the performance of the MM2-87 method. It turns out that the mol. mechanics calcns. lead to a fairly accurate picture of the structure of the modified sugar ring, while the calcd. values for the torsion angles λ and χ frequently show disparities with respect to the exptl. data. It is put forward that this will be partly due to the fact that the intermol. interactions in the crystal (hydrogen bonding and base stacking) have an impact on the mol. conformation; this effect is not mimicked in our calcns.

IT 2627-64-7 14042-38-7 14486-22-7 40110-98-3 63244-55-3  
63244-59-7 **125418-18-0** 129779-53-9

(comparative structural study of, using x-ray crystallog., NMR, and mol. mechanics calcns.)

L10 ANSWER 2 OF 6 COPYRIGHT 1992 ACS

AN CA113(21):191825g

TI Synthesis of new 2',3'-dideoxy-2',3'-α-fused-heterocyclic uridines, and some 2',3'-ene-2'-substituted uridines from easily accessible 2',3'-ene-3'-phenylselenonyl uridine

AU Tong, W.; Wu, J. C.; Sandstroem, A.; Chattopadhyaya, J.

CS Biomed. Cent., Univ. Uppsala

LO Uppsala S-751 23, Swed.

SO Tetrahedron, 46(8), 3037-60

SC 33-9 (Carbohydrates)

DT J

CO TETRAB

IS 0040-4020

PY 1990

LA Eng

OS CASREACT 113:191825

AB The synthetic utilities of 2',3'-ene-3'-phenylselenones I (R =

4-monomethoxytrityl, H) as synthetic equiv. of a dication [CH<sub>2</sub><sup>+</sup>-CH<sub>2</sub><sup>+</sup>] have been demonstrated. They act as Michael acceptors, and undergo conjugate addn. reactions at C-2' with hydrazine, 1,2-ethylenediamine, 1,3-diaminopropane, 1,2-ethanedithiol, ethanolamine, and 2-mercaptoethanol to give the intermediary adducts, 2',3'-dideoxy-3'-phenylselenonyl-2'-substituted xylofuranosyl derivs., which then undergo a facile intramol. SN2 type displacement reaction at C-3' by the neighboring 2'-substituent to give a variety of hitherto unreported 2',3'-dideoxy-2',3'-.alpha.-biimino uridine, 2'.3'-dideoxy-heterocyclic derivs. of uridine such as 2',3'-dideoxy-2',3'-.alpha.-biimino uridine, 2',3'-dideoxy-2',3'-.alpha.-(2-iminoimidazolidino)uridine, 2',3'-dideoxy-2',3'-.alpha.-(2-iminoimidazolidino)uridine, 2',3'-dideoxy-2',3'-N-.alpha.-(1,2-ethylene)uridine and 2',3'-dideoxy-2',3'-S-.alpha.-(1,2-ethylene)uridine. Anions of ethanedithiol, 2-aminoethanol, methylthioglycolate, imidazole and triazole, on the other hand, undergo conjugate nucleophilic addn. reactions at C-2' to give the intermediary adducts, 2',3'-dideoxy-3'-phenylselenonyl-2'-substituted xylofuranosyl derivs., which then suffer a cis-elimination of phenylselenenic acid to give various 1-(2',3'-dideoxy-2'-substituted .beta.-D-glycero-pent-2'-ene-furanosyl)uracil. The 2',3'-ene-3'-phenylselenones I (R = p-toluoyl, Me<sub>3</sub>CMe<sub>2</sub>Si) also react as dienophiles in Diels-Alder or 1,3-cycloaddn. reaction to give unique 2',3'-dideoxy-2',3'-fused-uridine derivs.

IT	129928-65-0P	129928-66-1P	129928-67-2P	129928-68-3P
	129928-69-4P	129928-70-7P	129928-71-8P	129928-72-9P
	129928-73-0P	<b>129928-74-1P</b>	129928-75-2P	129928-76-3P
	<b>129928-77-4P</b>	129928-78-5P	129928-79-6P	129928-80-9P
	129928-81-0P	129928-82-1P	129928-83-2P	129928-84-3P
	<b>129928-85-4P</b>	129928-86-5P	129928-87-6P	129928-88-7P
	129928-89-8P	129928-90-1P	129928-91-2P	129928-92-3P
	129928-93-4P	129928-94-5P	129928-95-6P	129928-96-7P
	129928-97-8P	129928-98-9P	129928-99-0P	129929-00-6P
	129929-01-7P	129929-02-8P	129948-55-6P	

(prepn. and deprotection of)

L10 ANSWER 3 OF 6 COPYRIGHT 1992 ACS

AN CA112(11):99113e

TI Michael addition reactions of .alpha.,.beta.-ene-3'-phenylselenone of uridine. New synthesis of 2',3'-dideoxy-ribo-aziridino-, 2',3'-dideoxy-2',3'-ribo-cyclopropyl-, and 2,2'-O-anhydro-3'-deoxy-3'-aminouridine derivatives

AU Wu, J. C.; Chattopadhyaya, J.

CS Biomed. Cent., Univ. Uppsala

LO Uppsala S-751 23, Swed.

SO Tetrahedron, 45(14), 4507-22

SC 33-9 (Carbohydrates)

DT J

CO TETRAB

IS 0040-4020

PY 1989  
 LA Eng  
 OS CASREACT 112:99113  
 AB A high-yielding synthesis of 1-[5'-O-(4-monomethoxytrityl)-2',3'-dideoxy-3'-phenylselenonyl-.beta.-D-glycero-pent-2'-enofuranosyl]uracil [I; R = monomethoxytrityl; (II)] is described starting from 5'-O-(4-monomethoxytrityl)-2',3'-O-anhydro-.beta.-D-lyxofuranosyl uracil. II can be easily deprotected to I (R = H). The synthetic utilities of I as synthetic equiv. of a dication [CH<sub>2</sub><sup>+</sup>-CH<sub>2</sub><sup>+</sup>] have been demonstrated from the fact that they act as Michael acceptors and undergo conjugate addn. reactions at C-2' with ammonia, methylamine, benzylamine and glycine Me ester, followed by a direct intramol. SN<sub>2</sub> type displacement reaction at C-3' in the adduct, to give various 2',3'-dideoxy-ribo-aziridino uridines III (R<sub>1</sub> = H, Me, PhCH<sub>2</sub>, CH<sub>2</sub>CO<sub>2</sub>Me) while dimethylamine, pyrrolidine, and morpholine give 2,2'-O-anhydro-3'-deoxy-3'-substituted-aminouridines. Carbon-nucleophiles such as sodium Me malonate and conjugate bases of nitromethane and acetophenone upon reaction with II provides a convenient access to 2',3'-dideoxy-2',3'-cyclopropyl(bicyclo[3.1.0] system) derivs. of uridine IV (R<sub>2</sub> = H, R<sub>3</sub> = NO<sub>2</sub>, CPh; R<sub>2</sub> = R<sub>3</sub> = CO<sub>2</sub>Me) while a reaction of II with methylacetoacetate gives an unusual 2',3'-fused furano(bicyclo[3.3.0] system) deriv. The methodol. described herein constitute a new general approach to functionalize the 2'- and 3'-carbons of .beta.-D-nucleosides simultaneously. All new 2',3'-disubstituted nucleosides with free 5'-hydroxyl group are potential inhibitors of HIV-specific reverse transcriptase.

IT 69093-67-0P 125417-92-7P 125418-05-5P 125418-08-8P  
 125418-10-2P 125418-11-3P 125418-12-4P 125418-13-5P  
 125418-14-6P 125418-15-7P 125418-16-8P 125418-17-9P  
**125418-18-0P 125418-19-1P 125418-20-4P**  
 125418-21-5P 125437-57-2P  
 (prepn. of)

L10 ANSWER 4 OF 6 COPYRIGHT 1992 ACS  
 AN CA112(1):656z  
 TI Nucleoside analoges as virucides  
 AU Webb, Thomas R.  
 CS Genentech, Inc.  
 LO USA  
 SO PCT Int. Appl., 28 pp.  
 PI WO 8809796 A1 15 Dec 1988  
 DS RW: AT, BE, CH, DE, FR, GB, IT, LU, NL, SE  
 RW: AT, BE, CH, DE, FR, GB, IT, LU, NL, SE  
 AI WO 88-US1812 26 May 1988  
 PRAI US 87-58304 5 Jun 1987  
 US 88-190273 4 May 1988  
 IC ICM C07H019-06  
 ICS A61K031-70  
 SC 1-5 (Pharmacology)  
 DT P

CO PIXXD2  
 PY 1988  
 LA Eng  
 OS MARPAT 112:656  
 AB Nucleoside analogs I, II and III (Z = O, S, NR; Y = O, NR; R = H, acyl; B = purine or pyrimidine base other than uracil, or an analog of such base which is capable of ambiguous base pairing; M = OH, ester) are useful for the treatment or prophylaxis of retroviral infections. The effect of I (Z = O, M = OH, B = cytosinyl) (IV) on the growth of HIV-infected ATH8 cells (2x10<sup>5</sup> cells per tube; 2000 virus particles cell) was detd. by the method of Broder et al. IV conferred substantial protection against HIV infection and was nontoxic at concns. <5 .mu.M. The adenyl analog was comparatively weakly active in conferring protection.

IT 34989-27-0 124165-99-7 **124166-00-3 124166-01-4**  
 124166-02-5 124166-03-6 124166-05-8 124166-06-9 124223-91-2  
 (virucide, for lymphotropic viruses)

L10 ANSWER 5 OF 6 COPYRIGHT 1992 ACS  
 AN CA110(23):213254n  
 TI Syntheses and alkaline hydrolyses of 2,2'-imino- and 2,2'-(substituted imino)-1-(2'-deoxy-.beta.-D-arabinofuranosyl)uracils  
 AU Minamoto, Katsumaro; Azuma, Kishiko; Tanaka, Toshihiro; Iwasaki, Hiroshi; Eguchi, Shoji; Kadaya, Shizuo; Moroi, Reimei  
 CS Fac. Eng., Nagoya Univ.  
 LO Nagoya, Japan  
 SO J. Chem. Soc., Perkin Trans. 1, (11), 2955-61  
 SC 33-9 (Carbohydrates)  
 DT J  
 CO JCPRB4  
 IS 0300-922X  
 PY 1988  
 LA Eng  
 OS CASREACT 110:213254; CJRSC  
 AB In order to exam. the possibility of "up" amination of the sugar part of pyrimidine nucleosides through pyrimidine N-cyclonucleosides, 2,2'-imino-1-(2'-deoxy-.beta.-D-arabinofuranosyl)uracils I (R = H, Me, CH<sub>2</sub>CH:CH<sub>2</sub>, Ph, p-MeOC<sub>6</sub>H<sub>4</sub>, NH<sub>2</sub>, NHMe) were synthesized by amination-cyclization reactions of 2'-O-tosyl-2,5'-anhydrouridine (II; R<sub>1</sub> = tosyl). The latter was synthesized from II R<sub>1</sub> = H) by 2',3'-O-dibutylstannylation followed by in situ tosylation. N-p-Methoxyphenylisocytidine obtainable from II (R<sub>1</sub> = H) was also cyclized to I by treatment with 1,1'-carbonyldiimidazole. I (R = Ph, p-MeOC<sub>6</sub>H<sub>4</sub>) were hydrolyzed with 2M NaOH-MeOH (1:1) extremely rapidly to give 2'-deoxy-2'-arylamino uracil-arabinosides III. Treatment of III (R = Ph) with diisopropyl azodiformate and Ph<sub>3</sub>P in dioxane gave epimino compd. IV. Similar dehydrative cyclization of I (R = H) gave anhydro deriv. V.

IT 55662-33-4P, Imidazo[1,2-a]pyrimidin-7(3H)-one 120401-49-2P  
 120401-53-8P **120401-54-9P** 120401-55-0P 120401-56-1P

KUNZ 652978

120401-57-2P  
(prepn. of)

L10 ANSWER 6 OF 6 COPYRIGHT 1992 ACS  
AN CA90(21):168884y  
TI Nucleic acid related compounds. 30. Transformations of adenosine to the first 2',3'-aziridine-fused nucleosides, 9-(2,3-epimino-2,3-dideoxy-.beta.-D-ribofuranosyl)adenine and 9-(2,3-epimino-2,3-dideoxy-.beta.-D-lyxofuranosyl)adenine  
AU Robins, Morris J.; Hawrelak, S. D.; Kanai, Tadashi; Siefert, Jan Marcus; Mengel, Rudolf  
CS Dep. Chem., Univ. Alberta  
LO Edmonton, Alberta, Can.  
SO J. Org. Chem., 44(8), 1317-22  
SC 33-7 (Carbohydrates)  
SX 22, 27, 28  
DT J  
CO JOCEAH  
IS 0022-3263  
PY 1979  
LA Eng  
AB Treatment of 9-(2,3-anhydro-.beta.-D-lyxofuranosyl)- and 9-(2,3-anhydro-.beta.-D-ribofuranosyl)adenine with azide gave 9-(3-azido-3-deoxy-.beta.-D-arabinofuranosyl)- and 9-(3-azido-3-deoxy-.beta.-D-xylofuranosyl)adenine in good yields plus minor quantities of the 2'-azido substitution products. Selective protection of the 5'-OH function, mesylation or tosylation of the 2'-OH group, and redn. of the resulting trans-3'-azido-2'-sulfonate ester with intramol. displacement-cyclization provided the resp. fused-ring aziridine products, 9-(2,3-epimino-2,3-dideoxy-.beta.-D-ribofuranosyl)- and 9-(2,3-epimino-2,3-dideoxy-.beta.-D-lyxofuranosyl)adenine. Unusual UV, CD, and 1H NMR spectral properties of these bicyclo[3.1.0] sugar-nucleoside systems are discussed.  
IT 68950-30-1P 68950-31-2P  
(prepn. and CD of)

=> d his 112

(FILE 'REGISTRY' ENTERED AT 11:53:30 ON 16 NOV 92)

FILE 'CA' ENTERED AT 11:54:50 ON 16 NOV 92

L12 96 S L11 NOT (1992/PY OR 1991/PY OR 1990/PY)

=> d bib hit 112 20 25 30 35 40 45 50 55 60 65 70 75

L12 ANSWER 20 OF 96 COPYRIGHT 1992 ACS  
AN CA102(23):204219n  
TI A detailed investigation of the methylation reaction of a 5-bromopyrimidine nucleoside  
AU Marton-Meresz, M.; Kuszmann, J.; Lango, J.; Parkanyi, L.; Kalman, A.



KUNZ 652978

CS Inst. Drug Res.  
LO Budapest H-1325, Hung.  
SO Nucleosides Nucleotides, 3(3), 221-32  
SC 33-9 (Carbohydrates)  
SX 75  
DT J  
CO NUNUD5  
IS 0732-8311  
PY 1984  
LA Eng  
IT 85993-14-2P 96220-92-7P 96220-93-8P 96220-94-9P  
(prepn. of)

L12 ANSWER 25 OF 96 COPYRIGHT 1992 ACS  
AN CA101(1):7564z  
TI Nucleic acid-related compounds. 46. A mild conversion of vicinal diols to alkenes. Efficient transformation of ribonucleosides into 2'-ene and 2',3'-dideoxynucleosides  
AU Robins, Morris J.; Hansske, Fritz; Low, Nicholas H.; Park, Ja In  
CS Dep. Chem., Univ. Alberta  
LO Edmonton, AB T6G 2G2, Can.  
SO Tetrahedron Lett., 25(4), 367-70  
SC 33-9 (Carbohydrates)  
DT J  
CO TELEAY  
IS 0040-4039  
PY 1984  
LA Eng  
IT 2627-64-7P 4097-22-7P 90124-47-3P  
(prepn. of)

L12 ANSWER 30 OF 96 COPYRIGHT 1992 ACS  
AN CA94(17):134801m  
TI Sulfonate analogs of adenosine nucleotides as inhibitors of nucleotide-binding enzymes  
AU Mundill, Paul H. C.; Fries, Richard W.; Woenckhaus, Christoph; Plapp, Bryce V.  
CS Dep. Biochem., Univ. Iowa  
LO Iowa City, IA 52242, USA  
SO J. Med. Chem., 24(4), 474-7  
SC 7-3 (Enzymes)  
DT J  
CO JMC MAR  
IS 0022-2623  
PY 1981  
LA Eng  
IT 40110-98-3  
(reaction of, with sodium bisulfite)

L12 ANSWER 35 OF 96 COPYRIGHT 1992 ACS  
AN CA92(23):198671k

TI 9-(3-Deoxy-3-iodo-.beta.-D-xylofuranosyl)adenine. Selective opening  
of oxirane ring of 2',3'-anhydroadenosine  
AU Mengel, Rudolf; Wiedner, Harald  
CS Fachber. Chem., Univ. Konstanz  
LO Konstanz D-7750, Fed. Rep. Ger.  
SO Nucl. Acid Chem., Volume 2, 511-13. Edited by: Townsend, Leroy B.;  
Tipson, R. Stuart. Wiley: New York, N. Y.  
SC 33-7 (Carbohydrates)  
DT C  
CO 42TBAU  
PY 1978  
LA Eng  
IT 2627-64-7  
(oxirane ring cleavage of, with Na iodide)

L12 ANSWER 40 OF 96 COPYRIGHT 1992 ACS  
AN CA90(21):168884y  
TI Nucleic acid related compounds. 30. Transformations of adenosine  
to the first 2',3'-aziridine-fused nucleosides, 9-(2,3-epimino-2,3-  
dideoxy-.beta.-D-ribofuranosyl)adenine and 9-(2,3-epimino-2,3-  
dideoxy-.beta.-D-lyxofuranosyl)adenine  
AU Robins, Morris J.; Hawrelak, S. D.; Kanai, Tadashi; Siefert, Jan  
Marcus; Mengel, Rudolf  
CS Dep. Chem., Univ. Alberta  
LO Edmonton, Alberta, Can.  
SO J. Org. Chem., 44(8), 1317-22  
SC 33-7 (Carbohydrates)  
SX 22, 27, 28  
DT J  
CO JOCEAH  
IS 0022-3263  
PY 1979  
LA Eng  
IT 2627-64-7  
(reaction of, with sodium azide)

L12 ANSWER 45 OF 96 COPYRIGHT 1992 ACS  
AN CA90(3):23503p  
TI 9-(3-Deoxy-3-iodo-.beta.-D-xylofuranosyl)adenine. Selective opening  
of the oxirane ring of 2',3'-anhydroadenosine  
AU Mengel, Rudolf; Wiedner, Harald  
CS Fachber. Chem., Univ. Konstanz  
LO Konstanz, Ger.  
SO Nucleic Acid Chem., Volume 2, 511-13. Edited by: Townsend, Leroy  
B.; Tipson, R. Stuart. Wiley: New York, N. Y.  
SC 33-7 (Carbohydrates)  
SX 28  
DT C  
CO 39GCA6  
PY 1978  
LA Eng

KUNZ 652978

IT 2627-64-7

(reaction of, with sodium iodide in presence of boron trifluoride etherate, iododeoxyadenosine from)

L12 ANSWER 50 OF 96 COPYRIGHT 1992 ACS

AN CA89(7):55475b

TI Apparent suicidal inactivation of DNA polymerase by adenosine 2':3'-riboepoxide 5'-triphosphate

AU Abboud, Muayad M.; Sim, William J.; Loeb, Lawrence A.; Mildvan, Albert S.

CS Inst. Cancer Res., Fox Chase Cancer Cent.

LO Philadelphia, Pa., USA

SO J. Biol. Chem., 253(10), 3415-21

SC 7-3 (Enzymes)

DT J

CO JBCHA3

IS 0021-9258

PY 1978

LA Eng

IT 2627-64-7P

(prepn. and phosphorylation of)

L12 ANSWER 55 OF 96 COPYRIGHT 1992 ACS

AN CA88(1):7270p

TI Studies on biologically active nucleosides and nucleotides. 3. Synthesis of 9-(3-bromo-3-deoxy-2,5-di-O-acetyl-.beta.-D-xylofuranosyl) adenine

AU Kondo, Kazuhiko; Adachi, Takeshi; Inoue, Ichizo

CS Res. Lab. Appl. Biochem., Tanabe Seiyaku Co. Ltd.

LO Osaka, Japan

SO J. Org. Chem., 42(24), 3967-8

SC 33-7 (Carbohydrates)

DT J

CO JOCEAH

PY 1977

LA Eng

IT 2627-64-7P 7387-57-7P 62805-48-5P 62805-49-6P

(prepn. of)

L12 ANSWER 60 OF 96 COPYRIGHT 1992 ACS

AN CA86(17):121667g

TI Interconversion of 8,2'-O-cycloadenosine and 2'3'-anhydro-8-oxyadenosine

AU Chattopadhyaya, Jyoti B.; Reese, Colin B.

CS Dep. Chem., King's Coll.

LO London, Engl.

SO J. Chem. Soc., Chem. Commun., (21), 860-2

SC 33-7 (Carbohydrates)

DT J

CO JCCCAT

PY 1976

LA Eng

IT 2627-64-7 29851-57-8 62086-58-2

(carbon-13 NMR spectrum of)

IT 62086-56-0P

(prepn. and interconversion of, with cycloadenosine)

IT 62086-57-1P

(prepn. of)

L12 ANSWER 65 OF 96 COPYRIGHT 1992 ACS

AN CA85(11):78294y

TI Nucleoside transformations. Conversion of guanosine  
2',3'-orthoester into deoxy and epoxide nucleosides

AU Mengel, Rudolf; Muhs, Wolfgang

CS Fachber. Chem., Univ. Konstanz

LO Constance, Ger.

SO Nucleic Acids Res., Spec. Publ., 1(Symp. Chem. Nucleic Acids  
Components, 3rd, 1975), S41-S44

SC 33-7 (Carbohydrates)

SX 22, 28

DT J

CO NARPD6

PY 1975

LA Eng

IT 961-07-9P 3608-58-0P 27462-39-1P 60110-78-3P 60110-79-4P  
60110-80-7P 60110-81-8P 60110-82-9P 60110-83-0P 60110-84-1P  
60110-85-2P 60110-86-3P 60110-87-4P 60110-88-5P  
60110-89-6P 60110-90-9P 60110-91-0P 60110-92-1P 60110-93-2P  
(prepn. of)

L12 ANSWER 70 OF 96 COPYRIGHT 1992 ACS

AN CA84(13):90518m

TI Arabinosylcytosines

AU Kanai, Tadashi; Adachi, Mitsue; Ichino, Motonobu; Nakamura, Tokuro

CS Kohjin Co., Ltd.

LO Japan

SO Japan. Kokai, 4 pp.

PI JP 49014478 7 Feb 1974 Showa

AI JP 72-57713 12 Jun 1972

NCL 16E461

SC 33-7 (Carbohydrates)

DT P

CO JKXXAF

PY 1974

LA Japan

IT 147-94-4P 17676-67-4P 58431-60-0P  
(prepn. of)

IT 34989-27-0

(ring cleavage of)

L12 ANSWER 75 OF 96 COPYRIGHT 1992 ACS

AN CA80(21):121290e

KUNZ 652978

TI Dinucleoside phosphates  
AU Kanai, Tadashi; Adachi, Mitsue; Ichino, Motonobu; Nakamura, Tokuro  
CS Kohjin Co., Ltd.  
SO Japan. Kokai, 5 pp.  
PI JP 49018879 19 Feb 1974 Showa  
AI JP 72-20138 29 Feb 1972  
NCL 16E461  
SC 33-7 (Carbohydrates)  
SX 28  
DT P  
CO JKXXAF  
PY 1974  
LA Japan  
IT 34989-27-0  
(reaction of, with 5'-adenylic acid tributylamine salt)

=> d bib hit 112 10 12 13 15 16 19

L12 ANSWER 10 OF 96 COPYRIGHT 1992 ACS  
AN CA110(13):115237q  
TI Synthesis of 3'-modified nucleoside 5'-triphosphates, new  
termination substrates of DNA polymerases  
AU Dyatkina, N. B.; Atrazheva, E. D.; Aleksandrova, L. A.; Kraevskii,  
A. A.; Von Janta-Lipinski, M.  
CS Inst. Mol. Biol.  
LO Moscow, USSR  
SO Bioorg. Khim., 14(6), 815-19  
SC 33-9 (Carbohydrates)  
DT J  
CO BIKHD7  
PY 1988  
LA Russ  
IT 362-42-5P 2627-64-7P 15981-92-7P 25526-94-7P  
40110-98-3P 108895-44-9P 119262-46-3P 119262-48-5P  
(prepn. and phosphorylation of)

L12 ANSWER 12 OF 96 COPYRIGHT 1992 ACS  
AN CA109(15):129576r  
TI Synthesis and anti-HIV activity of different sugar-modified  
pyrimidine and purine nucleosides  
AU Herdewijn, Piet; Balzarini, Jan; Baba, Masanori; Pauwels, Rudi; Van  
Aerschot, Arthur; Janssen, Gerard; De Clercq, Erik  
CS Rega Inst. Med. Res., Kathol. Univ. Leuven  
LO Louvain B-3000, Belg.  
SO J. Med. Chem., 31(10), 2040-8  
SC 33-9 (Carbohydrates)  
SX 1, 10  
DT J  
CO JMCMAR  
IS 0022-2623  
PY 1988

## KUNZ 652978

LA Eng  
OS CASREACT 109:129576; CJACS  
IT 73-03-0 2627-64-7 6998-75-0 25526-93-6 30516-87-1  
40110-98-3 41107-56-6 84472-85-5 84472-89-9  
87190-79-2 107601-08-1 108895-46-1 114753-53-6 116002-29-0  
(antiviral activity of)

L12 ANSWER 13 OF 96 COPYRIGHT 1992 ACS  
AN CA109(3):23303j  
TI 1-(2,3-Anhydro-.beta.-D-lyxofuranosyl)cytosine derivatives as  
potential inhibitors of the human immunodeficiency virus  
AU Webb, Thomas R.; Mitsuya, Hiroaki; Broder, Samuel  
CS Genentech, Inc.  
LO South San Francisco, CA 94080, USA  
SO J. Med. Chem., 31(7), 1475-9  
SC 33-9 (Carbohydrates)  
SX 1  
DT J  
CO JMC MAR  
IS 0022-2623  
PY 1988  
LA Eng  
OS CASREACT 109:23303; CJACS  
IT 6206-17-3P 14042-38-7P 14486-22-7P  
26301-92-8P 34989-27-0P 58526-07-1P  
60786-48-3P 99614-77-4P 110524-36-2P 114672-74-1P  
(prepn. and human immunodeficiency virus inhibiting activity of)  
IT 5983-06-2P 114551-18-7P 114551-19-8P  
114563-61-0P  
(prepn. of)

L12 ANSWER 15 OF 96 COPYRIGHT 1992 ACS  
AN CA105(17):153471r  
TI Some observations on the carbon-13 NMR assignments of the  
pentofuranose moiety of .beta.-D-nucleosides  
AU Bazin, H.; Zhou, X. X.; Welch, C. J.; Pathak, T.; Nyilas, A.;  
Chattopadhyaya, J.  
CS Biomed. Cent., Uppsala Univ.  
LO Uppsala S-751 23, Swed.  
SO Chem. Scr., 26(1), 17-19  
SC 33-9 (Carbohydrates)  
SX 22  
DT J  
CO CSRPB9  
IS 0004-2056  
PY 1986  
LA Eng  
IT 58-61-7, properties 58-96-8 73-03-0 362-43-6 524-69-6  
951-77-9 958-09-8 2140-76-3 2140-79-6 2627-64-7  
5536-17-4 6554-10-5 6998-75-0 10300-22-8 13089-44-6  
13276-53-4 37713-26-1 37731-73-0 40110-98-3

KUNZ 652978

42867-78-7    53213-01-7    62805-48-5    77244-78-1    87412-02-0  
87515-12-6    87515-13-7    87515-14-8    87522-73-4    101857-01-6  
102997-84-2    102997-89-7    104477-68-1    104525-44-2    104525-45-3  
104525-46-4    104525-47-5    104525-48-6    104525-49-7    104525-50-0  
104525-51-1  
(carbon-13 NMR of)

L12 ANSWER 16 OF 96 COPYRIGHT 1992 ACS  
AN CA105(5):43248r  
TI A convenient preparation of 9-(3'-deoxy-.beta.-D-threo-  
pentofuranosyl)adenine and 9-[3'-deoxy-3'-(S)-deuterio-.beta.-D-2'-  
(S)-pentofuranosyl]adenine  
AU Nyilas, Agnes; Chattopadhyaya, Jyoti  
CS Dep. Bioorg. Chem., Uppsala Univ.  
LO Uppsala S-751 23, Swed.  
SO Synthesis, (3), 196-8  
SC 33-9 (Carbohydrates)  
DT J  
CO SYNTBF  
IS 0039-7881  
PY 1986  
LA Eng  
OS CASREACT 105:43248  
IT 40110-98-3  
(monomethoxytritylation of)

L12 ANSWER 19 OF 96 COPYRIGHT 1992 ACS  
AN CA104(5):30826g  
TI Synthesis of 3'-azido- and 3'-amino-3'-deoxyarabinonucleoside  
5'-triphosphates and their substrate properties in the system of  
polynucleotide synthesizing enzymes  
AU Papchikhin, A. V.; Purygin, P. P.; Azhaev, A. V.; Kraevskii, A. A.;  
Kutateladze, T. V.; Chidzhavadze, Z. G.; Bibilashvilli, R. Sh.  
CS Kuibyshev State Univ.  
LO Kuibyshev, USSR  
SO Bioorg. Khim., 11(10), 1367-79  
SC 7-3 (Enzymes)  
DT J  
CO BIKHD7  
PY 1985  
LA Russ  
IT 14486-22-7P 34989-27-0P 40110-98-3P  
99614-78-5P  
(prepn. and reaction with lithium azide and ammonium chloride)

=> select hit rn l12 10m 12 13 15 16 19  
'HIT RN L12 10M 12 13 15 16 19' IS NOT VALID HERE

=> select hit rn l12 10 12 13 15 19  
E1 THROUGH E10 ASSIGNED

KUNZ 652978

=> fil reg

FILE 'REGISTRY' ENTERED AT 12:01:06 ON 16 NOV 92

USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT

COPYRIGHT (C) 1992 American Chemical Society (ACS)

STRUCTURE FILE UPDATES: 13 NOV 92 HIGHEST RN 144489-44-1

DICTIONARY FILE UPDATES: 15 NOV 92 HIGHEST RN 144489-44-1

=> s e1-10

1 40110-98-3/RN  
1 2627-64-7/RN  
1 14486-22-7/RN  
1 34989-27-0/RN  
1 114551-18-7/RN  
1 114551-19-8/RN  
1 114563-61-0/RN  
1 14042-38-7/RN  
1 26301-92-8/RN  
1 99614-78-5/RN

L13 10 (40110-98-3/RN OR 2627-64-7/RN OR 14486-22-7/RN OR 34989-27-0/RN OR 114551-18-7/RN OR 114551-19-8/RN OR 114563-61-0/RN OR 14042-38-7/RN OR 26301-92-8/RN OR 99614-78-5/RN)

=> d ide can 1-10

L13 ANSWER 1 OF 10 COPYRIGHT 1992 ACS

RN 114563-61-0 REGISTRY

CN 2(1H)-Pyrimidinone, 1-(2,3-anhydro-.beta.-D-lyxofuranosyl)-4-(methylamino)- (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:


CN 3,6-Dioxabicyclo[3.1.0]hexane, 2(1H)-pyrimidinone deriv. (9CI)

MF C10 H13 N3 O4

SR CA

LC CA, CASREACT, CJACS

DES 5:B-D-LYXO



1 REFERENCES IN FILE CA (1967 TO DATE)

REFERENCE 1: CA109(3):23303j



KUNZ 652978

L13 ANSWER 2 OF 10 COPYRIGHT 1992 ACS

RN 114551-19-8 REGISTRY

CN 2,4(1H,3H)-Pyrimidinedione, 1-(2,3-anhydro-.beta.-D-lyxofuranosyl)-, 4-oxime (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:


CN 3,6-Dioxabicyclo[3.1.0]hexane, 2,4(1H,3H)-pyrimidinedione deriv. (9CI)

MF C9 H11 N3 O5

SR CA

LC CA, CASREACT, CJACS

DES 5:B-D-LYXO



1 REFERENCES IN FILE CA (1967 TO DATE)

REFERENCE 1: CA109(3):23303j

L13 ANSWER 3 OF 10 COPYRIGHT 1992 ACS

RN 114551-18-7 REGISTRY

CN 2(1H)-Pyrimidinone, 1-(2,3-anhydro-.beta.-D-lyxofuranosyl)-4-methoxy- (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:


CN 3,6-Dioxabicyclo[3.1.0]hexane, 2(1H)-pyrimidinone deriv. (9CI)

MF C10 H12 N2 O5

SR CA

LC CA, CASREACT, CJACS

DES 5:B-D-LYXO



1 REFERENCES IN FILE CA (1967 TO DATE)

KUNZ 652978

REFERENCE 1: CA109(3):23303j

L13 ANSWER 4 OF 10 COPYRIGHT 1992 ACS

RN 99614-78-5 REGISTRY

CN 6H-Purin-6-one, 2-amino-9-(2,3-anhydro-.beta.-D-lyxofuranosyl)-1,9-dihydro- (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN 3,6-Dioxabicyclo[3.1.0]hexane, 6H-purin-6-one deriv. (9CI)


MF C10 H11 N5 O4

CI COM

SR CA

LC BEILSTEIN, CA

DES 5:B-D-LYXO



1 REFERENCES IN FILE CA (1967 TO DATE)

REFERENCE 1: CA104(5):30826g

L13 ANSWER 5 OF 10 COPYRIGHT 1992 ACS

RN 40110-98-3 REGISTRY

CN 9H-Purin-6-amine, 9-(2,3-anhydro-.beta.-D-lyxofuranosyl)- (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN 3,6-Dioxabicyclo[3.1.0]hexane, 9H-purin-6-amine deriv. (9CI)

CN Adenine, 9-(2,3-anhydro-.beta.-D-lyxofuranosyl)- (6CI, 7CI)


DR 127246-66-6

MF C10 H11 N5 O3

LC BEILSTEIN, CA, CAOLD, CASREACT, CJACS

DES 5:B-D-LYXO

KUNZ 652978



REFERENCES IN FILE CAOLD (PRIOR TO 1967)  
27 REFERENCES IN FILE CA (1967 TO DATE)

REFERENCE 1: CA116(17):165760z  
REFERENCE 2: CA115(23):256526y  
REFERENCE 3: CA114(23):229273m  
REFERENCE 4: CA112(25):235745s  
REFERENCE 5: P CA111(25):225295k  
REFERENCE 6: CA111(17):154277t  
REFERENCE 7: CA110(25):232006z  
REFERENCE 8: CA110(17):154768h  
REFERENCE 9: CA110(13):115237q  
REFERENCE 10: CA109(15):129576r

L13 ANSWER 6 OF 10 COPYRIGHT 1992 ACS

RN 34989-27-0 REGISTRY

CN 2(1H)-Pyrimidinone, 4-amino-1-(2,3-anhydro-.beta.-D-lyxofuranosyl)-  
(9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN 3,6-Dioxabicyclo[3.1.0]hexane, 2(1H)-pyrimidinone deriv. (9CI)


MF C9 H11 N3 O4

CI COM

LC BEILSTEIN, CA, CASREACT, CJACS, MEDLINE

DES 5:B-D-LYXO

KUNZ 652978



12 REFERENCES IN FILE CA (1967 TO DATE)

REFERENCE 1: CA117(11):111952r  
REFERENCE 2: P CA116(17):174678f  
REFERENCE 3: P CA112(1):656z  
REFERENCE 4: P CA111(25):225295k/AMD  
REFERENCE 5: CA109(3):23303j  
REFERENCE 6: CA104(5):30826g  
REFERENCE 7: CA86(5):25851s  
REFERENCE 8: CA85(3):21747u  
REFERENCE 9: P CA84(13):90518m  
REFERENCE 10: P CA80(21):121290e

L13 ANSWER 7 OF 10 COPYRIGHT 1992 ACS

RN 26301-92-8 REGISTRY

CN 2,4(1H,3H)-Pyrimidinedione, 1-(2,3-anhydro-.beta.-D-lyxofuranosyl)-5-bromo- (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN 3,6-Dioxabicyclo[3.1.0]hexane, 2,4(1H,3H)-pyrimidinedione deriv. (9CI)


CN Uracil, 1-(2,3-anhydro-.beta.-D-lyxofuranosyl)-5-bromo- (8CI)

MF C9 H9 Br N2 O5

LC BEILSTEIN, CA, CASREACT, CJACS

DES 5:B-D-LYXO

KUNZ 652978



2 REFERENCES IN FILE CA (1967 TO DATE)

REFERENCE 1: CA109(3):23303j

REFERENCE 2: P CA72(1):3725n

L13 ANSWER 8 OF 10 COPYRIGHT 1992 ACS

RN 14486-22-7 REGISTRY

CN 2,4(1H,3H)-Pyrimidinedione, 1-(2,3-anhydro-.beta.-D-lyxofuranosyl)-5-methyl- (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:


CN 3,6-Dioxabicyclo[3.1.0]hexane, 2,4(1H,3H)-pyrimidinedione deriv. (9CI)

CN Thymine, 1-(2,3-anhydro-.beta.-D-lyxofuranosyl)- (7CI, 8CI)

MF C10 H12 N2 O5

LC BEILSTEIN, CA, CAOLD, CASREACT, CJACS, MEDLINE

DES 5:B-D-LYXO



REFERENCES IN FILE CAOLD (PRIOR TO 1967)

9 REFERENCES IN FILE CA (1967 TO DATE)

REFERENCE 1: CA117(7):70227n

REFERENCE 2: CA115(23):256526y

REFERENCE 3: CA114(1):2569p

KUNZ 652978

REFERENCE 4: CA113(17):147818h  
REFERENCE 5: P CA111(25):225295k/AMD  
REFERENCE 6: CA110(25):232006z  
REFERENCE 7: CA109(3):23303j  
REFERENCE 8: CA104(5):30826g  
REFERENCE 9: P CA66(17):76279f

L13 ANSWER 9 OF 10 COPYRIGHT 1992 ACS

RN 14042-38-7 REGISTRY

CN 2,4(1H,3H)-Pyrimidinedione, 1-(2,3-anhydro-.beta.-D-lyxofuranosyl)-  
(9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:


CN 3,6-Dioxabicyclo[3.1.0]hexane, 2,4(1H,3H)-pyrimidinedione deriv.  
(9CI)

CN Uracil, 1-(2,3-anhydro-.beta.-D-lyxofuranosyl)- (7CI, 8CI)

MF C9 H10 N2 O5

LC BEILSTEIN, CA, CAOLD, CASREACT, CJACS, IFICDB, IFIPAT, IFIUDB

DES 5:B-D-LYXO



REFERENCES IN FILE CAOLD (PRIOR TO 1967)

13 REFERENCES IN FILE CA (1967 TO DATE)

REFERENCE 1: CA117(17):171929y  
REFERENCE 2: CA117(11):111952r  
REFERENCE 3: CA115(23):256526y  
REFERENCE 4: P CA111(25):225295k/AMD  
REFERENCE 5: CA110(25):232006z  
REFERENCE 6: CA109(3):23303j

KUNZ 652978

REFERENCE 7: CA102(19):167078t

REFERENCE 8: CA101(23):211630x

REFERENCE 9: CA89(22):186140m

REFERENCE 10: CA86(5):25851s

L13 ANSWER 10 OF 10 COPYRIGHT 1992 ACS

RN 2627-64-7 REGISTRY

CN Adenosine, 2',3'-anhydro- (6CI, 7CI, 8CI, 9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN 3,6-Dioxabicyclo[3.1.0]hexane, adenosine deriv. (9CI)


OTHER NAMES:

CN 2',3'-Anhydroadenosine

MF C10 H11 N5 O3

LC BEILSTEIN, CA, CAOLD, CASREACT, CJACS, IFICDB, IFIPAT, IFIUDB,  
SPECINFO

DES 5:B-D-RIBO



REFERENCES IN FILE CAOLD (PRIOR TO 1967)

46 REFERENCES IN FILE CA (1967 TO DATE)

REFERENCE 1: CA117(19):192225f

REFERENCE 2: CA117(9):90663e

REFERENCE 3: CA116(23):236067s

REFERENCE 4: CA116(15):152282v

REFERENCE 5: CA115(23):256526y

REFERENCE 6: P CA115(17):183808e

REFERENCE 7: CA115(17):177994w

KUNZ 652978

REFERENCE 8: CA114(15):143890y

REFERENCE 9: CA112(25):235745s

REFERENCE 10: CA112(21):194311b



KUNZ 652978

=> d his

(FILE 'HOME' ENTERED AT 10:01:01 ON 16 NOV 92)  
SET PAGELENGTH SCROLL

FILE 'REGISTRY' ENTERED AT 10:01:20 ON 16 NOV 92  
E AZIRIDINYL/CN

L1 1 S E3-4

FILE 'CA' ENTERED AT 10:02:42 ON 16 NOV 92

L2 6 S L1 OR L1/D

L3 0 S AZIRIDINYL CYTOSINE OR AZIRIDIN? CYTOSINE

L4 7 S (AZIRIDIN?(L)CYTOSINE)/AB,BI

FILE 'REGISTRY' ENTERED AT 10:06:33 ON 16 NOV 92  
ACT KUNZ2/A

L5 STR

L6 201 SEA FILE=REGISTRY SSS FUL L5

L7 STR

L8 6 S L7

L9 STR

L10 4 S L9

L11 77 S L9 FUL

SAVE L11 KUNZ3/A TEMP

L12 STR L9

L13 65 SEARCH L12 SSS SUB=L11 FUL

L14 12 S L11 NOT L13

FILE 'CA' ENTERED AT 10:16:50 ON 16 NOV 92

L15 116 S L13 OR L13/D

FILE 'REGISTRY' ENTERED AT 10:17:38 ON 16 NOV 92  
SAVE L14 KUNZ4/A TEMP

FILE 'CA' ENTERED AT 10:18:26 ON 16 NOV 92

L16 1552 S AZIRIDINYL?/AB,BI

L17 18454 S NUCLEOSID?

L18 3 S L16 AND L17

L19 QUE 151-56-4

FILE 'REGISTRY' ENTERED AT 10:20:34 ON 16 NOV 92

L20 1 S L19

E CYTOSINE/CN

L21 1 S E3

FILE 'CA' ENTERED AT 10:21:35 ON 16 NOV 92

L22 2808 S L20 OR L20/D

L23 3209 S L21 OR L21/D

L24 2 S L22 AND L23

KUNZ 652978

L25 6 S L14 OR L14/D  
L26 0 S AZIRIDINOCYTOSINE?/AB,BI  
L27 0 S (AZIRIDIN#(2W) CYTOSINE)/AB,BI  
L28 6516 S (AZIRIDIN?)/AB,BI  
L29 2 S L25 AND L28


=> fil reg

FILE 'REGISTRY' ENTERED AT 10:30:33 ON 16 NOV 92  
USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT  
COPYRIGHT (C) 1992 American Chemical Society (ACS)

STRUCTURE FILE UPDATES: 13 NOV 92 HIGHEST RN 144489-44-1  
DICTIONARY FILE UPDATES: 15 NOV 92 HIGHEST RN 144489-44-1

=> d que stat l11

L9 STR



VAR G1=N/O

NODE ATTRIBUTES:

NSPEC IS R AT 7

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED

NUMBER OF NODES IS 9

L11 77 SEA FILE=REGISTRY SSS FUL L9

100.0% PROCESSED 6668 ITERATIONS  
SEARCH TIME: 00.00.28

77 ANSWERS

=> d his l11-l14

(FILE 'REGISTRY' ENTERED AT 10:06:33 ON 16 NOV 92)

L11 77 S L9 FUL  
SAVE L11 KUNZ3/A TEMP  
L12 STR L9  
L13 65 SEARCH L12 SSS SUB=L11 FUL  
L14 12 S L11 NOT L13

=> fil ca

KUNZ 652978

FILE 'CA' ENTERED AT 10:31:04 ON 16 NOV 92  
USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT  
COPYRIGHT (C) 1992 AMERICAN CHEMICAL SOCIETY (ACS)

FILE COVERS 1967 - 15 Nov 92 (921115/ED) VOL 117 ISS 20.  
For OFFLINE Prints or Displays, use the ABS or ALL formats to obtain  
abstract graphic structures. The AB format DOES NOT display structure  
diagrams.

=> d que 118

L16 1552 SEA FILE=CA AZIRIDINYL?/AB,BI  
L17 18454 SEA FILE=CA NUCLEOSID?  
L18 3 SEA FILE=CA L16 AND L17

=> d que 124

L20 1 SEA FILE=REGISTRY 151-56-4  
L21 1 SEA FILE=REGISTRY CYTOSINE/CN  
L22 2808 SEA FILE=CA L20 OR L20/D  
L23 3209 SEA FILE=CA L21 OR L21/D  
L24 2 SEA FILE=CA L22 AND L23

=> d que 129

L9 STR  
L11 77 SEA FILE=REGISTRY SSS FUL L9  
L12 STR  
L13 65 SEA FILE=REGISTRY SUB=L11 SSS FUL L12  
L14 12 SEA FILE=REGISTRY L11 NOT L13  
L25 6 SEA FILE=CA L14 OR L14/D  
L28 6516 SEA FILE=CA (AZIRIDIN?)/AB,BI  
L29 2 SEA FILE=CA L25 AND L28

=> d bib ab 118 1-3

L18 ANSWER 1 OF 3 COPYRIGHT 1992 ACS  
AN CA113(21):191830e  
TI Synthesis of new **nucleoside** phosphoraziridines as  
potential site-directed antineoplastic agents  
AU Breiner, Robert G.; Rose, William C.; Dunn, Joseph A.; MacDiarmid,  
Joan E.; Bardos, Thomas J.  
CS Dep. Med. Chem., State Univ. New York  
LO Amherst, NY 14260, USA  
SO J. Med. Chem., 33(9), 2596-602  
SC 33-9 (Carbohydrates)  
SX 1  
DT J  
CO JMC MAR  
IS 0022-2623  
PY 1990  
LA Eng  
OS CJACS

AB With the aim of increasing the selectivity of the 2,2-dimethylphosphoraziridine type antitumor agents toward the intracellular site of DNA synthesis, a series of new compds. was synthesized. The carbamates I ( $R = OH$ ,  $R_1 = COR_2$ ,  $R = O_2CR_2$ ,  $R_1 = H$ ) were highly unstable, and therefore the O-acetyl derivs. were prepd. by treating 5'- and 3'-acetylthymidine, resp., with  $Cl_2P(O)NCO$  followed by the addn. of 2,2-dimethylaziridine and  $Et_3N$ . I ( $R = R_2$ ,  $R_1 = H$ ) was prepd. by treating the thymidinylamine with bis(2,2-dimethyl-1-aziridinyl)phosphinyl chloride. The cytidines II ( $R_3 = H$ ,  $Ac$ ;  $R_4 = H$ ,  $OH$ ,  $R_5 = H$ ;  $R_4 = H$ ,  $R_5 = OH$ ) were prepd. by reacting the hydrochlorides of the O-peracetylated cytosine nucleosides with  $Et_3N$  and  $POCl_3$  followed by 2,2-dimethylaziridine and  $Et_3N$ , to give II ( $R_3 = Ac$ ) which were deacetylated by aminolysis. However, II ( $R_3 = Ac$ ) were more stable than II ( $R_3 = H$ ) and, probably for the same reason, also more active against P388 leukemia in mice. Particularly, I ( $R_3 = Ac$ ,  $R_4 = H$ ,  $OAc$ ,  $R_5 = H$ ) showed sufficient activity in vivo to warrant further evaluation. The relationships between the antitumor activities, the chem. alkylating activities, and the cholinesterase inhibitory activities of these agents are discussed.

L18 ANSWER 2 OF 3 COPYRIGHT 1992 ACS  
 AN CA95(25):220260m  
 TI Synthesis of certain fluorescent tricyclic **nucleosides** derived from pyrazolo[3,4-d]pyrimidine **nucleosides**  
 AU Bhat, Ganapati A.; Townsend, Leroy B.  
 CS Dep. Med. Chem., Univ. Michigan  
 LO Ann Arbor, MI 48109, USA  
 SO J. Chem. Soc., Perkin Trans. 1, (9), 2387-93  
 SC 33-7 (Carbohydrates)  
 SX 22  
 DT J  
 CO JCPRB4  
 IS 0300-922X  
 PY 1981  
 LA Eng

AB The prepn. is described of tricyclic nucleosides with a dihydroimidazole, imidazole, triazole, or tetrazole ring fused to the pyrazolopyrimidine ring system in an angular position. E.g., cyclocondensation reaction of the nucleoside I with  $ClCH_2CHO$  ( $H_2O$ ,  $NaOAc$ , pH 4.5, 80.degree., 3 h) gave the imidazo deriv. II (64%). The UV and fluorescence spectra of the tricyclic nucleosides are reported.

L18 ANSWER 3 OF 3 COPYRIGHT 1992 ACS  
 AN CA81(15):91872x  
 TI Synthesis of purine **nucleoside** 6-sulfonates  
 AU Rackwitz, Hans R.; Scheit, Karl H.  
 CS Abt. Mol. Biol., Max-Planck-Inst. Biophys. Chem.  
 LO Goettingen, Ger.  
 SO Chem. Ber., 107(7), 2284-94

KUNZ 652978

SC 33-7 (Carbohydrates)

SX 28

DT J

CO CHBEAM

PY 1974

LA Ger

AB The purinethiones I (R = H, PO<sub>3</sub>H<sub>2</sub>, or triphosphate; R<sub>1</sub> = H or NH<sub>2</sub>; R<sub>2</sub> = H or OH) reacted with SO<sub>3</sub><sup>2-</sup> in the presence of O to give 100% II (R<sub>3</sub> = SO<sub>3</sub><sup>-</sup>) (III). III (R = H, R<sub>1</sub> = H or NH<sub>2</sub>, R<sub>2</sub> = OH) reacted with NH<sub>4</sub>OH to give adenosine and the corresponding diamino deriv., resp. III (R = H or PO<sub>3</sub>H<sub>2</sub>, R<sub>1</sub> = H, R<sub>2</sub> = OH) reacted with aziridine to give II (R<sub>3</sub> = 1-aziridinyl). III (R<sub>1</sub> = NH<sub>2</sub>) fluoresced with high quantum yields on excitation in the near uv. The formation of III (R = H) on irradiation of I at 235 nm in the presence of O was proved by fluorescence and absorption spectroscopy and by comparison with authentic material.

=> d bib ab it l24 1-2

L24 ANSWER 1 OF 2 COPYRIGHT 1992 ACS

AN CA115(11):114152z

TI New sulfonamides and their metal salts and complexes useful as drugs

AU Takayanagi, Takeo

LO USA

SO Ger. Offen., 11 pp.

PI DE 3921580 A1 3 Jan 1991

AI DE 89-3921580 30 Jun 1989

IC ICM C07C311-15

ICS C07C335-08; C07D203-22; C07D203-12; C07D239-47; C07D487-04;  
C07D239-54; C07D239-40; C07D473-38; C07D307-22; A61K031-63

SC 25-13 (Benzene, Its Derivatives, and Condensed Benzenoid Compounds)

SX 1, 63

DT P

CO GWXXBX

PY 1991

LA Ger

OS MARPAT 115:114152

AB Sulfonamides 4-XC<sub>6</sub>H<sub>4</sub>SO<sub>2</sub>NHR<sub>1</sub> [X = RR'<sub>1</sub>N where R, R' = COCH(R<sub>2</sub>)<sub>2</sub>, COC(R<sub>2</sub>)<sub>3</sub>, SO<sub>2</sub>MeCO<sub>2</sub>Et, CH<sub>2</sub>CH<sub>2</sub>R<sub>2</sub>, CH<sub>2</sub>CH<sub>2</sub>OH, etc.; R<sub>2</sub> = Cl, NMeCHO, aziridino, NMeOH, NHCO<sub>2</sub>CH<sub>2</sub>CH<sub>2</sub>OH, etc.; R<sub>1</sub> = NH<sub>2</sub>, NMeCHO, aziridino, 2-hydroxypyrimidin-4-ylamino, HNCH<sub>2</sub>CH<sub>2</sub>Cl, NHCO<sub>2</sub>Et, 6-mercaptapurinyl, prednisolyl, 5-fluorouracilyl, OH, OMe, OPh, oxonium group (i.e. +O(CH<sub>2</sub>CH<sub>2</sub>Cl)<sub>2</sub>, +OPh<sub>2</sub>, etc.), SH, iodo, etc.] and their salts (esp. metal salts) and inclusion complexes with a variety of therapeutic agents are claimed. For example, reaction of 4-(EtO<sub>2</sub>CNH)C<sub>6</sub>H<sub>4</sub>SO<sub>2</sub>Cl with 1-allyl-2-thiourea in pyridine gave 4-(EtO<sub>2</sub>CNH)C<sub>6</sub>H<sub>4</sub>SO<sub>2</sub>NHC(S)NHCH<sub>2</sub>CH<sub>2</sub>CH<sub>2</sub> (I). A soln. of I in 2-methoxyethanol was treated with prednisolone (II) and then with a Mg salt soln. to give a 1:1 inclusion complex of 2 I.Mg with II. Eight addnl. prepn. of Mg salt inclusion complexes are described.

IT Sulfonamides

- (benzenesulfonamides inclusion complexes with therapeutic agents)
- IT Androgens  
Antibiotics  
Estrogens  
Neoplasm inhibitors  
Vitamins
- (inclusion complexes of known agents with sulfonamides)
- IT Glycosides
- (inclusion complexes with sulfonamides)
- IT 13945-59-0P 22819-27-8P 52316-24-2P 134380-82-8P  
134380-83-9P 134380-84-0P 134380-85-1P 134380-86-2P  
134380-87-3P 134380-88-4P 134380-89-5P 134380-90-8P  
(prepn. and reaction of, in prepn. of therapeutic inclusion complex)
- IT 134366-70-4P 134366-72-6P 134366-74-8P 134380-83-9DP, complex with magnesium and mercaptopurine 134380-86-2DP, complex with magnesium and prednisolone 134380-87-3DP, complex with magnesium and prednisolone 134380-90-8DP, complex with magnesium 134392-19-1P  
(prepn. of, as drug)
- IT 50-18-0DP, Cyclophosphamide, inclusion complexes with sulfonamides  
50-24-8DP, Prednisolone, inclusion complexes with sulfonamides  
50-44-2DP, 6-Mercaptopurine, inclusion complexes with sulfonamides  
51-21-8DP, 5-Fluorouracil, inclusion complexes with sulfonamides  
52-24-4DP, Thiotepa, inclusion complexes with sulfonamides  
55-18-5DP, Diethylnitrosamine, inclusion complexes with sulfonamides  
55-86-7DP, Nitrogen mustard, inclusion complexes with sulfonamides  
55-98-1DP, inclusion complexes with sulfonamides 56-75-7DP, Chloramphenicol, inclusion complexes with sulfonamides 57-92-1DP, Streptomycin, inclusion complexes with sulfonamides 61-33-6DP, inclusion complexes with sulfonamides 61-73-4DP, Methylene blue, inclusion complexes with sulfonamides 62-75-9DP, Dimethylnitrosamine, inclusion complexes with sulfonamides 109-57-9DP, inclusion complexes with sulfonamides 119-36-8DP, Salicylic acid methyl ester, inclusion complexes with sulfonamides 123-39-7DP, N-Methylformamide, inclusion complexes with sulfonamides 548-62-9DP, Pyoktanin, inclusion complexes with sulfonamides 865-21-4DP, Vinblastine, inclusion complexes with sulfonamides 936-02-7DP, inclusion complexes with sulfonamides 2438-32-6DP, inclusion complexes with sulfonamides 3711-49-7DP, inclusion complexes with sulfonamides 7439-95-4DP, Magnesium, inclusion complexes contg. 7440-06-4DP, Platinum, inclusion complexes contg. 7440-50-8DP, Copper, inclusion complexes contg. 7733-02-0DP, Zinc sulfate, inclusion complexes contg. 8004-87-3DP, Methyl violet, inclusion complexes with sulfonamides 9001-12-1DP, Collagenase, inclusion complexes with sulfonamides 9002-60-2DP, Corticotropin, inclusion complexes with sulfonamides 9015-68-3DP, L-Asparaginase, inclusion complexes with sulfonamides 9030-73-3DP, Depolymerase, inclusion complexes with sulfonamides 9066-59-5DP, Lysozyme chloride, inclusion complexes with sulfonamides 13766-44-4DP, Mercury sulfate, inclusion complexes contg. 21293-29-8DP, Absciscic

acid, inclusion complexes with sulfonamides 36368-43-1DP,  
 N-Nitrosoaziridine, inclusion complexes with sulfonamides  
 67809-14-7DP, inclusion complexes with sulfonamides 68518-47-8DP,  
 Euflavine, inclusion complexes with sulfonamides 97059-07-9DP,  
 inclusion complexes with sulfonamides 134380-91-9DP, inclusion  
 complexes with sulfonamides 134380-92-0DP, inclusion complexes  
 with sulfonamides 134380-93-1DP, inclusion complexes with  
 sulfonamides 134380-94-2DP, inclusion complexes with sulfonamides  
 134380-95-3DP, inclusion complexes with sulfonamides  
 134380-96-4DP, inclusion complexes with sulfonamides  
 134380-97-5DP, inclusion complexes with sulfonamides  
 (prepn. of, as therapeutics)

IT 50-24-8, Prednisolone 51-79-6, Ethyl urethane 71-30-7,  
 Cytosine 79-36-7, Dichloroacetyl chloride 109-57-9 111-44-4,  
 Bis(2-chloroethyl) ether 121-60-8, 4-Acetylaminobenzenesulfonyl  
 chloride 151-56-4, Aziridine, reactions 689-98-5,  
 2-Chloroethylamine 936-02-7 3518-65-8, Chloromethylsulfonyl  
 chloride 4885-02-3, Dichloromethyl methyl ether 7487-88-9,  
 Magnesium sulfate, reactions 7681-11-0, Potassium iodide,  
 reactions 7758-98-7, Sulfuric acid copper(2+) salt (1:1),  
 reactions 9000-92-4, Diastase 21208-62-8 67809-14-7  
 135288-99-2  
 (reaction of, in prepn. of therapeutic inclusion complexes)

L24 ANSWER 2 OF 2 COPYRIGHT 1992 ACS

AN CA66(12):52027w

TI Separation of amines by ligand exchange. IV. Ligand exchange with  
 chelating resins and cellulosic exchangers

AU Shimomura, Kazuko; Dickson, Luther; Walton, Harold F.

CS Univ. of Colorado

LO Boulder, Colo., USA

SO Anal. Chim. Acta, 37(1), 102-11

SC 80 (Organic Analytical Chemistry)

DT J

CO ACACAM

PY 1967

LA Eng

AB Unavailable

IT Amines, analysis

(sepn. of aliphatic, by ligand exchange)

IT Chelex 100

(in amine sepn.)

IT Purine, derivs.

Pyrimidine, derivs.

(sepn. of, by ligand exchange)

IT 65-71-4 71-30-7 73-24-5, analysis 73-40-5 74-89-5

75-04-7 109-89-7, analysis 121-44-8, analysis 151-56-4

(chromatog. of)

IT 7440-50-8, analysis

(detn. of, in effluents from copper-loaded chelating resin)

IT 7440-02-0, analysis

(detn. of, in effluents from nickel-loaded chelating resin)  
 IT 57-14-7 302-01-2, analysis  
 (sepn. of, by ligand exchange)  
 IT 75-64-9  
 (sepn. of, from butylamine)  
 IT 109-73-9  
 (sepn. of, from tert-butylamine)  
 IT 60-34-4  
 (sepn. of, ligand exchange)

=> d bib ab it 129 1-2

L29 ANSWER 1 OF 2 COPYRIGHT 1992 ACS  
 AN CA112(11):99113e  
 TI Michael addition reactions of .alpha.,.beta.-ene-3'-phenylselenone  
 of uridine. New synthesis of 2',3'-dideoxy-ribo-**aziridino**  
 -, 2',3'-dideoxy-2',3'-ribo-cyclopropyl-, and 2,2'-O-anhydro-3'-  
 deoxy-3'-aminouridine derivatives  
 AU Wu, J. C.; Chattopadhyaya, J.  
 CS Biomed. Cent., Univ. Uppsala  
 LO Uppsala S-751 23, Swed.  
 SO Tetrahedron, 45(14), 4507-22  
 SC 33-9 (Carbohydrates)  
 DT J  
 CO TETRAB  
 IS 0040-4020  
 PY 1989  
 LA Eng  
 OS CASREACT 112:99113  
 AB A high-yielding synthesis of 1-[5'-O-(4-monomethoxytrityl)-2',3'-  
 dideoxy-3'-phenylselenonyl-.beta.-D-glycero-pent-2'-  
 enofuranosyl]uracil [I; R = monomethoxytrityl; (II)] is described  
 starting from 5'-O-(4-monomethoxytrityl)-2',3'-O-anhydro-.beta.-D-  
 lyxofuranosyl uracil. II can be easily deprotected to I (R = H). The  
 synthetic utilities of I as synthetic equiv. of a dication  
 [CH2+-CH2+] have been demonstrated from the fact that they act as  
 Michael acceptors and undergo conjugate addn. reactions at C-2' with  
 ammonia, methylamine, benzylamine and glycine Me ester, followed by  
 a direct intramol. SN2 type displacement reaction at C-3' in the  
 adduct, to give various 2',3'-dideoxy-ribo-**aziridino**  
 uridines III (R1 = H, Me, PhCH2, CH2CO2Me) while dimethylamine,  
 pyrrolidine, and morpholine give 2,2'-O-anhydro-3'-deoxy-3'-  
 substituted-aminouridines. Carbon-nucleophiles such as sodium Me  
 malonate and conjugate bases of nitromethane and acetophenone upon  
 reaction with II provides a convenient access to  
 2',3'-dideoxy-2',3'-cyclopropyl(bicyclo[3.1.0] system) derivs. of  
 uridine IV (R2 = H, R3 = NO2, COPh; R2 = R3 = CO2Me) while a  
 reaction of II with methylacetoacetate gives an unusual 2',3'-fused  
 furano(bicyclo[3.3.0] system) deriv. The methodol. described herein  
 constitute a new general approach to functionalize the 2'- and  
 3'-carbons of .beta.-D-nucleosides simultaneously. All new



2',3'-disubstituted nucleosides with free 5'-hydroxyl group are potential inhibitors of HIV-specific reverse transcriptase.

- IT Nucleosides, reactions  
(functionalization of, at 2'- and 3'-carbons)
- IT Michael reaction  
(of ene-phenylselenone of uridine)
- IT 74-89-5, Methylamine, reactions  
(addn. reaction of, with (dideoxy(phenylselenoyl)pentenofuranosyl)uracil)
- IT 100-46-9, Benzylamine, reactions 5680-79-5, Methyl glycinate hydrochloride  
(addn. reaction of, with [dideoxy(phenylselenonyl)pentenofuranosyl]uracil)
- IT 125417-91-6  
(anhydro ring cleavage of, with di-Ph diselenide and lithium aluminum hydride)
- IT 125417-97-2P  
(prepn. and addn. reactions of)
- IT 125417-98-3P 125417-99-4P 125418-00-0P 125418-01-1P  
125418-02-2P 125418-03-3P 125418-04-4P 125418-06-6P  
125418-07-7P 125418-09-9P  
(prepn. and detritylation of)
- IT 125417-96-1P  
(prepn. and detritylation or addn. reactions of)
- IT 125417-94-9P  
(prepn. and elimination of mesyloxy group from)
- IT 125417-93-8P  
(prepn. and mesylation of)
- IT 125417-95-0P  
(prepn. and oxidn. of)
- IT 69093-67-0P 125417-92-7P 125418-05-5P 125418-08-8P  
125418-10-2P 125418-11-3P 125418-12-4P 125418-13-5P  
125418-14-6P 125418-15-7P 125418-16-8P 125418-17-9P  
**125418-18-0P 125418-19-1P 125418-20-4P**  
125418-21-5P 125437-57-2P  
(prepn. of)
- IT 110-91-8, Morpholine, reactions 123-75-1, Pyrrolidine, reactions  
(reaction of, with [(phenylselenonyl)dideoxypentenofuranosyl]uracil)
- IT 124-40-3, Dimethylamine, reactions  
(reaction of, with [dideoxy(phenylselenoyl)pentenofuranosyl]uracil)
- IT 1666-13-3, Diphenyl diselenide  
(reaction of, with lithium aluminum hydride and (anhydrolyxofuranosyl)uracil)
- IT 75-52-5, Nitromethane, reactions 98-86-2, Acetophenone, reactions  
105-45-3, Methyl acetoacetate 108-59-8, Dimethyl malonate  
(reaction of, with potassium tert-butoxide and [(phenylselenonyl)dideoxypentenofuranosyl]uracil)

AN CA90(21):168884y  
 TI Nucleic acid related compounds. 30. Transformations of adenosine to the first 2',3'-**aziridine**-fused nucleosides, 9-(2,3-epimino-2,3-dideoxy-.beta.-D-ribofuranosyl)adenine and 9-(2,3-epimino-2,3-dideoxy-.beta.-D-lyxofuranosyl)adenine  
 AU Robins, Morris J.; Hawrelak, S. D.; Kanai, Tadashi; Siefert, Jan Marcus; Mengel, Rudolf  
 CS Dep. Chem., Univ. Alberta  
 LO Edmonton, Alberta, Can.  
 SO J. Org. Chem., 44(8), 1317-22  
 SC 33-7 (Carbohydrates)  
 SX 22, 27, 28  
 DT J  
 CO JOCEAH  
 IS 0022-3263  
 PY 1979  
 LA Eng  
 AB Treatment of 9-(2,3-anhydro-.beta.-D-lyxofuranosyl)- and 9-(2,3-anhydro-.beta.-D-ribofuranosyl)adenine with azide gave 9-(3-azido-3-deoxy-.beta.-D-arabinofuranosyl)- and 9-(3-azido-3-deoxy-.beta.-D-xylofuranosyl)adenine in good yields plus minor quantities of the 2'-azido substitution products. Selective protection of the 5'-OH function, mesylation or tosylation of the 2'-OH group, and redn. of the resulting trans-3'-azido-2'-sulfonate ester with intramol. displacement-cyclization provided the resp. fused-ring **aziridine** products, 9-(2,3-epimino-2,3-dideoxy-.beta.-D-ribofuranosyl)- and 9-(2,3-epimino-2,3-dideoxy-.beta.-D-lyxofuranosyl)adenine. Unusual UV, CD, and <sup>1</sup>H NMR spectral properties of these bicyclo[3.1.0] sugar-nucleoside systems are discussed.  
 IT Ring closure and formation  
     (of 3'-amino or 3'-azido nucleosides, **aziridine**-fused nucleosides from)  
 IT Circular dichroism  
     (of fused **aziridine**-furanosyl nucleosides)  
 IT Nucleosides, preparation  
     (prepn. of **aziridine** moiety contg.)  
 IT 68950-30-1P 68950-31-2P  
     (prepn. and CD of)  
 IT 68950-28-7P  
     (prepn. and NMR of)  
 IT 68965-90-2P  
     (prepn. and catalytic hydrogenation of)  
 IT 68965-23-1P 68965-89-9P  
     (prepn. and cyclization of, **aziridine** deriv. from)  
 IT 68950-29-8P  
     (prepn. and deblocking of)  
 IT 68950-24-3P  
     (prepn. and deprotection of)  
 IT 68950-23-2P  
     (prepn. and detritylation of)

KUNZ 652978

IT 68950-21-0P  
(prepn. and methylation of)  
IT 51014-75-6P  
(prepn. and protection of)  
IT 68950-27-6P  
(prepn. and redn. of)  
IT 68950-25-4P 68950-26-5P 68975-02-0P  
(prepn. and reductive cyclization of, **aziridine** deriv.  
from)  
IT 68950-22-1P  
(prepn. and tosylation of)  
IT 26315-51-5P 68950-32-3P 68965-88-8P  
(prepn. of)  
IT 29411-70-9P  
(prepn., protection, and catalytic hydrogenation of)  
IT 2627-64-7  
(reaction of, with sodium azide)

=> fil reg

FILE 'REGISTRY' ENTERED AT 10:34:11 ON 16 NOV 92  
USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT  
COPYRIGHT (C) 1992 American Chemical Society (ACS)

STRUCTURE FILE UPDATES: 13 NOV 92 HIGHEST RN 144489-44-1  
DICTIONARY FILE UPDATES: 15 NOV 92 HIGHEST RN 144489-44-1

=> d que 120

L20 1 SEA FILE=REGISTRY 151-56-4

=> d 120

L20 ANSWER 1 OF 1 COPYRIGHT 1992 ACS

RN 151-56-4 REGISTRY

CN Aziridine (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN Ethylenimine (8CI)

OTHER NAMES:

CN Azacyclopropane

CN Aziran

CN Dimethylenimine

CN EI

CN Ethyleneimine

CN Fast MEG

FS 3D CONCORD

DR 99932-76-0

MF C2 H5 N

CI COM, RPS

LC ANABSTR, BEILSTEIN, BIOSIS, CA, CAOLD, CASREACT, CHEMLIST, CIN,  
CJACS, CSCHM, CSNB, DIPPR, EINECS, EMBASE, GMELIN, HODOC, IFICDB,  
IFIPAT, IFIUDB, MEDLINE, NDSL, PDLCOM, RTECS, SPECINFO, TSCA, VTB

KUNZ 652978




REFERENCES IN FILE CAOLD (PRIOR TO 1967)  
2801 REFERENCES IN FILE CA (1967 TO DATE)

=> d que 121

L21 1 SEA FILE=REGISTRY CYTOSINE/CN

=> d 121

L21 ANSWER 1 OF 1 COPYRIGHT 1992 ACS  
RN 71-30-7 REGISTRY  
CN 2(1H)-Pyrimidinone, 4-amino- (9CI) (CA INDEX NAME)  
OTHER CA INDEX NAMES:  
CN **Cytosine (8CI)**  
OTHER NAMES:  
CN 4-Amino-2(1H)-pyrimidinone  
CN 4-Amino-2-hydroxypyrimidine  
CN Cytosinimine  
FS 3D CONCORD  
DR 66322-75-6, 118511-36-7, 504-05-2, 14987-28-1, 26661-23-4  
MF C4 H5 N3 O  
CI COM  
LC ANABSTR, BEILSTEIN, BIOSIS, CA, CAOLD, CASREACT, CHEMLIST, CIN, CJACS, CSCHM, CSNB, DSL, EINECS, EMBASE, GMELIN, HODOC, IFICDB, IFIPAT, IFIUDB, MEDLINE, RTECS, SPECINFO, TSCA




REFERENCES IN FILE CAOLD (PRIOR TO 1967)  
3209 REFERENCES IN FILE CA (1967 TO DATE)

=> d l14 ide can 1 3 5 7 9 12

L14 ANSWER 1 OF 12 COPYRIGHT 1992 ACS  
RN 143992-85-2 REGISTRY  
CN 3-Oxa-6-azabicyclo[3.1.0]hexane-2-methanol, 6-acetyl-4-(6-amino-9H-purin-9-yl)-, [1R-(1.alpha.,2.beta.,4.beta.,5.alpha.)]- (9CI) (CA INDEX NAME)  
MF C12 H14 N6 O3  
SR CA

KUNZ 652978

DES 5:B-D-LYXO



0 REFERENCES IN FILE CA (1967 TO DATE)

L14 ANSWER 3 OF 12 COPYRIGHT 1992 ACS

RN 129928-77-4 REGISTRY

CN 2,4(1H,3H)-Pyrimidinedione, 1-[6-(3-aminopropyl)-4-(hydroxymethyl)-3-oxa-6-azabicyclo[3.1.0]hex-2-yl]-, [1R-(1.alpha.,2.alpha.,4.alpha.,5.alpha.)]- (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN 3-Oxa-6-azabicyclo[3.1.0]hexane, 2,4(1H,3H)-pyrimidinedione deriv. (9CI)


MF C12 H18 N4 O4

SR CA

LC CA

DES \*

Absolute stereochemistry.



1 REFERENCES IN FILE CA (1967 TO DATE)

REFERENCE 1: CA113(21):191825g

KUNZ 652978

L14 ANSWER 5 OF 12 COPYRIGHT 1992 ACS

RN 125418-20-4 REGISTRY

CN 2,4(1H,3H)-Pyrimidinedione, 1-[4-(hydroxymethyl)-6-(phenylmethyl)-3-oxa-6-azabicyclo[3.1.0]hex-2-yl]-, [1R-(1.alpha.,2.alpha.,4.alpha.,5.alpha.)]- (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN 3-Oxa-6-azabicyclo[3.1.0]hexane, 2,4(1H,3H)-pyrimidinedione deriv. (9CI)


MF C16 H17 N3 O4

SR CA

LC CA, CASREACT

DES \*

Absolute stereochemistry.



1 REFERENCES IN FILE CA (1967 TO DATE)

REFERENCE 1: CA112(11):99113e

L14 ANSWER 7 OF 12 COPYRIGHT 1992 ACS

RN 125418-18-0 REGISTRY

CN 2,4(1H,3H)-Pyrimidinedione, 1-[4-(hydroxymethyl)-3-oxa-6-azabicyclo[3.1.0]hex-2-yl]-, [1R-(1.alpha.,2.alpha.,4.alpha.,5.alpha.)]- (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN 3-Oxa-6-azabicyclo[3.1.0]hexane, 2,4(1H,3H)-pyrimidinedione deriv. (9CI)

MF C9 H11 N3 O4


SR CA

LC CA, CASREACT, CJACS

DES \*

Absolute stereochemistry.

KUNZ 652978



2 REFERENCES IN FILE CA (1967 TO DATE)

REFERENCE 1: CA115(23):256526y

REFERENCE 2: CA112(11):99113e

L14 ANSWER 9 OF 12 COPYRIGHT 1992 ACS

RN 124166-00-3 REGISTRY

CN 3-Oxa-6-azabicyclo[3.1.0]hexane-6-carboxaldehyde,  
2-(4-amino-2-oxo-1(2H)-pyrimidinyl)-4-(hydroxymethyl)-,  
(1.alpha.,2.beta.,4.beta.,5.alpha.)- (9CI) (CA INDEX NAME)


MF C10 H12 N4 O4

SR CA

LC CA

DES \*

Relative stereochemistry.



1 REFERENCES IN FILE CA (1967 TO DATE)

REFERENCE 1: P CA112(1):656z

KUNZ 652978

L14 ANSWER 12 OF 12 COPYRIGHT 1992 ACS

RN 68950-30-1 REGISTRY

CN Adenosine, 2',3'-dideoxy-2',3'-imino- (9CI) (CA INDEX NAME)


OTHER CA INDEX NAMES:

CN 3-Oxa-6-azabicyclo[3.1.0]hexane, adenosine deriv. (9CI)

MF C10 H12 N6 O2

LC BEILSTEIN, CA

DES 5:B-D-RIBO



1 REFERENCES IN FILE CA (1967 TO DATE)

REFERENCE 1: CA90(21):168884y